INFIA S.R.L.
Viale Caduti di Via Fani, 85
47032 BERTINORO (FC) ITALIA
Tel. (+39) 0543 466 511 - Fax (+39) 0543 466 519/539
amministrazione@pec-infia.it
www.infia.it

DECLARATION OF COMPLIANCE for: Punnets in PP

1 General overview

The company **INFIA srl**, viale Caduti di via Fani, 85 Bertinoro (FC - ITALY), declares that the family range here above (ARTICLE) are manufactured under certified product standard BRC-Packaging.
We confirm that this product fulfils the requirements on materials used for articles intended to come into contact with food as described in the following European legislation:

- Framework Regulation 1935/2004 EC
- Regulation 1895/2005 EC
- Regulation 2023/2006 EC on GMP
- Regulation 2022/1616 if applicable (replacing Regulation 282/2008)
- Regulation 10/2011 EC and amendments, including Reg. 2026/245 EC (Ref. Article 2 of the amendment 2026/245 EC) and Reg. 2026/250 EC Ref. Article 2 of the amendment 2026/250 EC)

and in the following Italian legislation:

- DPR 777/82 and amendments
- DM 21/03/73 and amendments
- DM n. 134 of 20/09/2013
- DLgs n. 29 of 10/02/2017 (Art. 6) – prot. PG 25223 of 17/07/2018 (Unione dei Comuni della Romagna Forlivese)

The above material is produced with PP and masterbatch if coloured.

As required by Regulation (EC) 1935/2004 Article 17, INFIA srl has in place necessary systems, records and procedures to ensure traceability of material and articles at all stages of manufacture in order to facilitate control and recall of defective products. INFIA srl declares to comply also with Articles 3, 11 and 15 of the Regulation (EC) 1935/2004.

P.IVA 03355330238 - C.F. e N. Iscriz. 03355330238
del Reg. Impr. Forlì-Cesena - N. R.E.A. FC 301335
Cap. Soc. € 1.000.000 i.v. - Mecc. FO 018330
Codice Identificativo INTRA IT 03355330238

INFIA S.R.L.
Viale Caduti di Via Fani, 85
47032 BERTINORO (FC) ITALIA
Tel. (+39) 0543 466 511 - Fax (+39) 0543 466 519/539
amministrazione@pec-infia.it
www.infia.it

2 Global and specific migration tests

The ARTICLE complies with the overall migration limit of 10 mg/dm2 or 60 mg/Kg of food for plastics articles intended to be brought in contact with food intended for infants and young children. The compliance is established by a surface to volume ratio of 6 dm² per kg of food.

We declare that our products respect overall and specific migrations limits in the following conditions (OM2):

SIMULANT	TIME	TEMPERATURE
		Global
E – Tenax (MPPO)	10 gg	40°C

For substances with subject to specific migration limits (SML) - as listed in the annex I and II table 1 of REG (EU)10/2011- the compliance is ensured either by worst case calculation, when the content is known, by determination of the residual content according Annex V 2.2.2. of Regulation 10/2011 or by migration measurements in contact with the appropriate food simulant for the substance under standardized testing condition according Annex V 2.1.4.

SIMULANT	TIME	TEMPERATURE
		Specific
Appropriate based on the substance	10 gg	60°C

This declaration is supported by analysis, worst case calculations and by declaration of compliance issued by our suppliers.

There could be the presence of some substances (“dual use”) legislated by EC regulation 1333/2008 and 1334/2008 and subsequent updates and amendments. According to experimental data and/or calculations, these substances are in accordance with the provisions of regulation 10/2011 EC art. 11 par. 3, letter a) and b). The utilizer of the food contact material has the responsibility of let us know about any restriction concerning the composition (additives or aroma) of the food product that has to be packed.

INFIA S.R.L.
Viale Caduti di Via Fani, 85
47032 BERTINORO (FC) ITALIA
Tel. (+39) 0543 466 511 - Fax (+39) 0543 466 519/539
amministrazione@pec-infia.it
www.infia.it

3 Specification of use - Types of food

According to reg.10/2011, annex III table 2, the following reference number of food category are identified:

	Reference Number	Description of food
	04	Fruit, vegetables and products thereof
	04.01 A	Whole fruit, fresh or chilled, unpeeled
	04.04 A	Whole vegetables, fresh or chilled, unpeeled

Specification of use - Foreseeable condition of use

According to Reg. EU 10/2011, annex V, chapter 2, tables 1 and 2 and paragraph 2.1.4, testing for 10 days at 60 °C shall cover storage above 6 months at room temperature and below, including hot-fill conditions and/or heating up to 70 °C ≤ T ≤ 100 °C for maximum t = 120/2^((T-70)/10) minutes.

4 Surface to volume ratio

Due to the heterogeneity of fruit and vegetable density (stone fruits, grapes, berries...) the conventional surface area/volume ratio of 6 dm^2 per kg of food has been considered. It is impracticable to estimate the relationship between the surface area of such punnets and the quantity of food in contact therewith.

5 Additional information

Non- Intentionally Added Substances (NIAS):

INFIA srl carry out screening tests to determine the presence and levels of non- intentionally Added Substances (NIAS) in the products.

The following substances are not used, at the best of our knowledge, during the manufacture of the food contact products: BADGE, NODGE, BFDGE, PFAS, MOSH & MOAH, Latex, Phtalates, Genetic Modified Organism (OGM), radioactive elements, Chlorofluorohydrocarbons (CFCs) and halogens, nanometric particles, Primary Aromatic Amines, BPA or any other bisphenol or bisphenol derivative restricted under Regulation (EU) 2024/3190 – rectified by Reg. EU 2026-250 – due to a classification as CMR Category 1A/1B or Endocrine Disruptor Category 1 for human health.

The recipient should pay particular attention to any change in the packaged product, its intended use and also to any modification in the material's processing conditions and make sure that the contents and packaging are compatible, as directed in this declaration.

This certificate is only valid when the product is used in normal and foreseeable conditions provided that the handling and storage conditions are also appropriate for preservation of the material's specific characteristics.

INFIA S.R.L.
Viale Caduti di Via Fani, 85
47032 BERTINORO (FC) ITALIA
Tel. (+39) 0543 466 511 - Fax (+39) 0543 466 519/539
amministrazione@pec-infia.it
www.infia.it

Conservare in luogo pulito e asciutto	
NON esporre a luce solare diretta o a fonti di calore	
NON sormontare un pallet sull'altro	

The use in industrial or commercial application of the material described in this statement does not preclude an assessment of compliance with the current legislation and of the technological suitability for the intended use.

INFIA S.R.L.
Viale Caduti di Via Fani, 85
47032 BERTINORO (FC) ITALIA
Tel. (+39) 0543 466 511 - Fax (+39) 0543 466 519/539
amministrazione@pec-infia.it
www.infia.it

List of authorized substances with SML and SML (T) according to ANNEX I of reg. EC 10/2011 or authorized according FDA or BfR.
Dual use additives present in EC reg.1333/2008, EC reg. 1334/2008 and amendments are identified with E number.
This information is communicated by our suppliers of raw material and semi-finished products and are reported at the best of our knowledge

Punnets in PP:

Substance Name	FCM	Ref. nr	CAS No	SML [mg/kg]
9,9-bis(methoxymethyl)-9H-fluorene	779	39815	0182121-12-6	SML = 0,05 mg/kg
2,2′-methylene bis(4,6-di-tert-butylphenyl) sodium phosphate	749	66360	85209-91-2	SML = 5 mg/kg
polyethyleneglycol (EO = 1-50) ethers of linear and branched primary (C8-C22) alcohols	779	77708	-	SML = 1,8 mg/kg
stearic acid (Zn), expressed as Zn	106	89040	0000057-11-4	SML = 5 mg/kg
Lithium Benzoate	116	-	553-54-8	SML = 0.6 mg/kg (Li)
glycerides, castor-oil mono-, hydrogenated, acetates	783	55910	0736150-63-3	SML = 60 mg/kg
(only if coloured) carbon black QM 2,5%	411	42080	1333-86-4	SML = -
(only if coloured) octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl) propionate	433	68320	2082-79-3	SML = 6 mg/kg
(only if coloured) 3,5-di-tert-butyl-4-hydroxybenzylphosphonic acid, monoethyl ester, calcium salt	715	46880	65140-91-2	SML = 6 mg/kg
(only if coloured) Pigment Orange 64 (Ba)_<1%				SML = 1 mg/kg
(only if coloured) 2,6-di-tert-butyl-p-cresol	315	46640	128-37-0	SML = 3 mg/kg
(only if coloured) acetic acid, vinyl ester	231	10120	108-05-4	SML = 12 mg/kg
(only if coloured) Copper	80	81760	7440-50-8	SML = 5 mg/kg

Dual Use additives:

E 170 *(only if coloured)*
E 180 *(only if coloured)*
E 433 *(only if coloured)*
E 470a
E 471
E475
E 572 *(only if coloured)*

The document is valid from the date below and will be substituted if any change will occur in the formulation of the product or in the legislation applicable. Anyway, it has expiration date of 24 months.

Date 11/02/2026

Economic Operator Reg.1935/2004 EC

Giuseppe Montaguti
INFIA S.R.L.
Società con socio unico
Montaguti Giuseppe
Amministratore Delegato

Quality Manager

Rodolfo Mafessanti